



TÜRKİYE ODALAR VE BORSALAR BİRLİĞİ



Dumlupınar Bulvarı No:252 (Eskişehir Yolu 9. Km.) 06530 /ANKARA

www.tobb.org.tr - tobb@hs01.kep.tr

Sayı : E-34221550-720-9082

Tarih:

18.08.2023

Konu : Ülkemizden Malzeme Talebi Hk.

Dağıtım yerlerine

İlgi : Ticaret Bakanlığı'nın 14.08.2023 tarih ve 00088068047 sayılı yazısı

İlgide kayıtlı yazıda, Dallas'ta yerleşik, telekomünikasyon alanında faaliyet gösteren Versacom firması tarafından Dallas bölgesinde konut, sosyal tesis, okul ve iş merkezini içeren bir yerleşim yeri inşasının planlandığı belirtilerek, söz konusu yerleşim yerinin inşasında kullanılacak malzemelerin Türkiye'den ithal edilmesinin planlandığı bildirilmektedir.

Yazının ekinde ise anılan firmanın öncelikli talep listesi, ilave talep listesi ve inşaat demirine ilişkin talep mektubu ve irtibat kişilerine ilişkin bilgi verilmektedir.

Detaylı bilgi için aşağıdaki irtibat bilgileri ya da Houston Ticaret Ataşeliğimiz (houston@ticaret.gov.tr) ile temasa geçilmesinde fayda görülmektedir.

İrtibat Bilgileri

- 1- Muhammad AlAmin, aa@vcomlp.com, +1(469)867-9430
- 2 -Yavuz Orta, yortakk@yahoo.com, +1(973)689-5491

Bilgilerinizi ve konunun üyelerinize duyurulmasını rica ederim.

Saygılarımla,

e-imza

Ali Emre YURDAKUL
Genel Sekreter Yardımcısı

EK:

- 1- Ülkemizden Malzeme Talebi_Ek_Malzeme Talebi (2 sayfa)
- 2- Ülkemizden Malzeme Talebi_Ek_Malzeme Talep Listesi 1 (1 sayfa)
- 3- Ülkemizden Malzeme Talebi_Ek_Item List May 23 (6 sayfa)



Evrakı Doğrulamak İçin : <https://belgedogrula.tobb.org.tr/belgedogrulama.aspx?eD=BSD5A4LFU0>

Tel : +90 (312) 218 20 00 (PBX) - Faks : +90 (312) 219 40 90 -91 -92... - E-Posta : info@tobb.org.tr

Bilgi İçin: Belgin ESERDAĞ - Tel : - E-Posta : belgin.eserdag@tobb.org.tr

Salaam,

We need the following rebar (iron rod/bar) for construction. Please provide price for one 40 ft container load to Houston CF&I, for each size of rebar.

3/8 in. x 20 ft. #3 Rebar

1/2 in. x 20 ft. #4 Rebar

5/8 in. x 20 ft. #5 Rebar

Physical Characteristics of #6 Rebar:

- Imperial bar size: #6.
- "Soft" metric size: #19.
- Weight per unit length: 1.502 pounds per foot (2.24 kilograms per meter)
- Nominal diameter: 0.75 inches (19.05 millimeters)
- Nominal area: 0.44 square inches (284 square millimeters)

Physical Characteristics of #8 Rebar:

- Weight per unit length: 2.67 pounds per foot (3.982 kilograms per meter)
- Nominal diameter: 1.000 inches (25.4 millimeters)
- Nominal area: 0.79 square inches (509 square millimeters)
- "Soft" Metric Size: #25

Rebar Chart

BAR SIZE DESIGNATION*	WEIGHT (LBS/FOOT)	BAR DIAMETER (INCHES)	CROSS- SECTIONAL AREA (SQ. IN.) PER FT.	
			AT 12" C.C.	AT 6" C.C.
#3	0.376	0.375	0.11	0.22
#4	0.668	0.500	0.20	0.40
#5	1.043	0.625	0.31	0.62
#6	1.502	0.750	0.44	0.88
#7	2.044	0.875	0.60	1.20
#8	2.670	1.000	0.79	1.58
#9	3.400	1.128	1.00	2.00
#10	4.303	1.270	1.27	2.54
#11	5.313	1.410	1.56	3.12
#14	7.650	1.693	2.25	4.50
#18	13.600	2.257	4.00	8.00

* Bar

numbers are based on the number of 1/8 inches included in the nominal diameter of the bar. The nominal diameter of a deformed bar is equivalent to the diameter of a plain bar having the same weight per foot as the deformed bar.

VERSACOM FİRMASININ PROJESİ İÇİN TALEP ETTİĞİ MALZEME LİSTESİ

1. 3/8" SS Split Lock Washer
2. 3/8" SS Flat Washer
3. SS Hex Nut 3/8" SS
4. 3/8" SS bolts
5. #6 Strnd 2-Hole 1/4" Holes 5/8" OC
6. Long Barrel IW=Y LUGS
7. .015" Fish Paper 6" x 50ft
8. #9 Waxed Twine String
9. Fiber cleaning supplies
10. Color code tek clips in following colors (white, red, blue, green, yellow/green tape, orange, purple, grey, pink)
11. 1/4" star washer and nut Zip ties, black and white 16" long
12. Velcro Roll 3/4" x 75'
13. Dyno label tape for marking
14. 4 Ft Clear 3/8" Heat Shrink, 2:1 Ratio
15. 4 Ft Black 1/2" Adhesive Lined Heat Shrink, 3:1 Ratio

		
SKU		Description
HB-38-1		3/8" X 1" Hex Head Tap Bolt
HB-38-14		3/8" X 1-1/4" Hex Head Tap Bolt
FW-38		3/8" X 1" Flat Washer
LW-38		3/8" Lock Washer
HN-38		3/8" Hex Nut
HB-14-14		1/4" X 1-1/4" Hex Head Tap Bolt
HB-14-1		1/4" X 1" Hex Head Tap Bolt
HN-14		1/4" Hex Nut
FW-14		1/4" Flat Washer 3/4"
LW-14		1/4" Lock Washer

SKU		Description
HC2-5		RM-A200 Stainless Steel Hose Clamp, 2" to 5" OD Pipe
WT-PVCT-1712 Black		CM-T BLACK 3M 3/4" X 66' Colored Tape, Black
WT-PVCT-1712 Blue		CM-T BLUE 3M 3/4" X 66' Colored Marking Tape, Blue
WT-PVCT-1712 Green		CM-T GREEN 3M 3/4" X 66' Colored Marking Tape, Green
WT-PVCT-1712 Red		CM-T RED 3M 3/4" X 66' Colored Marking Tape, Red
WT-PVCT-1712 Orange		CM-T ORANGE 3M 3/4" X 66' Colored Marking Tape, Orange
WT-PVCT-1712 Yellow		CM-T YELLOW 3M 3/4" X 66' Colored Marking Tape, Yellow
WT-PVCT-1712 Purple		CM-T PURPLE 3M 3/4" X 66' Colored Marking Tape, Purple
CL-IH-22-38		AT-I22-38-1 Ground Lug #2 Wire w/ Two 3/8" Holes on 1" Centers
CL-IH-22-14		AT-I22-14 Ground Lug #2 Wire w/ Two 1/4" Holes on 5/8" Centers
CL-IH-62-14		AT-I62-14 Ground Lug #6 Wire w/ Two 1/4" Hole on 5/8" Centers
CL-IH-62-38		AT-I62-38-1 Ground Lug #6 Wire w/ Two 3/8" Holes on 1" Centers

SKU		Description
CL-IH2-38		2AWG Brown Lug 3/8"single hole Long barrel w/ window
CL-IH-62-38U		Ground Lug #6 Wire w/ One 3/8" Hole & one 3/8" x 1/2" Slot Universal
CL-IH-22-38U		Ground Lug #2 Wire w/ One 3/8" Hole & one 3/8" x 1/2" Slot Universal
BBHK-ISG BU-CT-14210		BB-210T-T Copper Buss Bar Tinned, 1/4" x 2" x 10" full kit include hardware
CH-CB-12--DH		MB-12 Mini Block for 1/2" Corrugated Coax
CH-CB-78-DH		MB-78 Mini Block for 7/8" Corrugated Coax
GSC-12ANT-S		Weatherproofing Enclosure / Clamshell 1/2 In Short Version
GSC-12ANT		Weatherproofing Enclosure / Clamshell 1/2 In
CH-AA-34-U		Stainless Steel Universal Angle Adapter with hardware kit
CH-AA-SO-34		SOS-34 Stand-Off Adapter Stainless steel, w/ 3/4" snap in Holes, No Clamps
CH-AA-SO-38		SOS-38 Stand-Off Adapter Stainless, w/ 3/8" Tapped Holes, No Clamps
CH-SBH-12		Stainless steel standard butterfly hanger for 1/2" coaxial cable

SKU		Description
CH-SBH-78		Stainless steel standard butterfly hanger for 7/8" coaxial cable
CH-AA-TSO		AT-TRAP 3-way snap-in stand-off 3/4" hole trapezoid standoff
CH-SSIH-12		Stainless steel stackable snap-in hanger for 1/2" coaxial cable
CH-SSIH-78		Stainless steel stackable snap-in hanger for 7/8" coaxial cable
CH-SSIH-114		Stainless steel stackable snap-in hanger for 1-1/4" coaxial cable
CH-SSIH-158		Stainless steel stackable snap-in hanger for 1-5/8" coaxial cable
THHN #6 Green		GW-6-G Ground Wire, #2 THHN, Green Foot
THHN #6 Green		GW-6-G Ground Wire, #6 THHN, Green Foot
THHN #6 Red		GW-6-G Ground Wire, #6 THHN, Red Foot
THHN #6 Black		GW-6-G Ground Wire, #6 THHN, Black Foot
RGD-200		Rigid Standard Pipe,3.0mtr Lth. (Hot dip galvanized) 2"
RGD-250		Rigid Standard Pipe,3.0mtr Lth. (Hot dip galvanized) 2-1/2"

SKU		Description
8361		Rigid Elbow 45° (Electro-galvanized) 2"
8362		Rigid Elbow 45° (Electro-galvanized) 2-1/2"
8349		Rigid Elbow 90° (Electro-galvanized) 2"
8350		Rigid Elbow 90° (Electro-galvanized) 2-1/2"
A1200		Unistrut Channel (Pre-galvanized) 41x41x3000
CCN-200RS		2" IMC & Rigid Compression Connector (Electro-galvanized)
CCP-200RS		2" IMC & Rigid Compression Coupling (Electro-galvanized)
CH-200		2" EMT / IMC / Rigid Conduit Hanger (Electro-galvanized)
CH-250		2-1/2" EMT / IMC / Rigid Conduit Hanger (Electro-galvanized)
OSP-200R		2" Rigid One Hole Strap (Electro-galvanized)
OSP-250R		2-1/2" Rigid One Hole Strap (Electro-galvanized)
TSP-200R		2" Rigid Two Hole Strap (Electro-galvanized)

SKU		Description
TSP-250R		2-1/2" Rigid Two Hole Strap (Electro-galvanized)
SC-200		2" IMC / Rigid Strut Clamp (Electro-galvanized)
SC-250		2-1/2" IMC / Rigid Strut Clamp (Electro-galvanized)
LB-200CF		2" LB Threaded Conduit Body with Cover and Gasket PACK OF 100
LB-250CF		2-1/2" LB Threaded Conduit Body with Cover and Gasket
ALT-20045I		45°Angle Liquid Tight Connector Insulated, Malleable Iron ,2"
ALT-20090I		90°Angle Liquid Tight Connector Insulated, Malleable Iron ,2"
L-38		Long Spring Nut,Galvanized Steel ,3/8"
WL901		1/2" Yellow Split Loom